

Lot 20  
compliant



Wireless Heating Systems

# ECOLEC Price List 2020

Please telephone 01902 457575

All local space heaters manufactured for sale in the EU after 1st January 2018 which use electricity, gaseous or liquid fuels, must comply with a minimum efficiency standard. This includes electric radiators, electric underfloor heating and electric and gas fires.



PROUDLY MANUFACTURED IN THE UK

SPACE SAVING VERTICAL & HORIZONTAL RADIANT PANEL WITHOUT VENTS (DEPTH 40mm)							EFS 1001	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Powder Coated White RAL 9016</b>								
1.1	ECO 2000D/RP/PC/RX	2000 x 500 x 40	2000	1600	5459	425.00	354.17	
1.2	ECO 1500D/RP/PC/RX	1500 x 500 x 40	1500	1200	4094	364.00	303.33	
1.3	ECO 1000D/RP/PC/RX	1000 x 500 x 40	1000	800	2729	315.00	262.50	
1.4	ECO 750D/RP/PC/RX	750 x 500 x 40	750	600	2047	247.00	205.83	
1.5	ECO 500D/RP/PC/RX	500 x 500 x 40	500	400	1365	210.00	175.00	
1.6	ECO 1000D/SB/RP/PC/RX	2000 x 250 x 40	1000	800	2729	336.00	280.00	
1.7	ECO 750D/SB/RP/PC/RX	1500 x 250 x 40	750	600	2047	295.00	245.83	
1.8	ECO 500D/SB/RP/PC/RX	1000 x 250 x 40	500	400	1365	252.00	210.00	
<b>Powder Coated Silver RAL 9006</b>								
2.1	ECO 2000D/RP/PCS/RX	2000 x 500 x 40	2000	1600	5459	502.00	418.33	
2.2	ECO 1500D/RP/PCS/RX	1500 x 500 x 40	1500	1200	4094	441.00	367.50	
2.3	ECO 1000D/RP/PCS/RX	1000 x 500 x 40	1000	800	2729	386.00	321.67	
2.4	ECO 750D/RP/PCS/RX	750 x 500 x 40	750	600	2047	315.00	262.50	
2.5	ECO 500D/RP/PCS/RX	500 x 500 x 40	500	400	1365	276.00	230.00	
2.6	ECO 1000D/SB/RP/PCS/RX	2000 x 250 x 40	1000	800	2729	405.00	337.50	
2.7	ECO 750D/SB/RP/PCS/RX	1500 x 250 x 40	750	600	2047	350.00	291.66	
2.8	ECO 500D/SB/RP/PCS/RX	1000 x 250 x 40	500	400	1365	315.00	262.50	
<b>Powder Coated Black RAL 9005</b>								
3.1	ECO 2000D/RP/PCB/RX	2000 x 500 x 40	2000	1600	5459	502.00	418.33	
3.2	ECO 1500D/RP/PCB/RX	1500 x 500 x 40	1500	1200	4094	441.00	367.50	
3.3	ECO 1000D/RP/PCB/RX	1000 x 500 x 40	1000	800	2729	386.00	321.67	
3.4	ECO 750D/RP/PCB/RX	750 x 500 x 40	750	600	2047	315.00	262.50	
3.5	ECO 500D/RP/PCB/RX	500 x 500 x 40	500	400	1365	276.00	230.00	
3.6	ECO 1000D/SB/RP/PCB/RX	2000 x 250 x 40	1000	800	2729	405.00	337.50	
3.7	ECO 750D/SB/RP/PCB/RX	1500 x 250 x 40	750	600	2047	350.00	291.66	
3.8	ECO 500D/SB/RP/PCB/RX	1000 x 250 x 40	500	400	1365	315.00	262.50	
3.9	<b>Selected Powder Coated RAL COLOURS available for additional charge to Line Ref. 1.1 to 1.8</b>					132.00	110.00	

SPACE SAVING VERTICAL IP44 GLASS RADIATOR - Body & Glass in matching RAL Colours							EFS 1005	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
4.1	ECO 500D/IP44/GR/RX	500 x 500 x 44	500	300	1023	530.00	441.66	
4.2	ECO 750D/IP44/GR/RX	750 x 500 x 44	750	450	1535	590.00	491.66	
4.3	ECO 1000D/IP44/GR/RX	1000 x 500 x 44	1000	600	2047	690.00	575.00	
4.4	ECO 1500D/IP44/GR/RX	1500 x 500 x 44	1500	900	3070	765.00	637.50	
4.5	ECO 2000D/IP44/GR/RX	2000 x 500 x 44	2000	1300	4435	860.00	716.66	
4.6	ECO 500D/SB/IP44/GR/RX	1000 x 250 x 44	500	300	1023	570.00	475.00	
4.7	ECO 750D/SB/IP44/GR/RX	1500 x 250 x 44	750	450	1535	655.00	545.83	
4.8	ECO 1000D/SB/IP44/GR/RX	2000 x 250 x 44	1000	600	2047	750.00	625.00	

SELECTED RAL COLOURS AVAILABLE - SEE CHART

OTHER RAL COLOURS AVAILABLE, ASK FOR A QUOTE [SALES@ECOLEC.CO.UK](mailto:SALES@ECOLEC.CO.UK) OR PHONE 01902 457575

Sharrocks Street, Wolverhampton WV1 3RP


Tel: 01902 457575 Fax: 01902 457797 Email: [sales@ecolec.co.uk](mailto:sales@ecolec.co.uk) Website: [www.ecolec.co.uk](http://www.ecolec.co.uk)

SPACE SAVING VERTICAL IP44 MIRROR RADIATOR - Available in White, Black or Silver body							EFS 1006	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
5.1	ECO 500D/IP44/MR/RX	500 x 500 x 44	500	300	1023	360.00	300.00	
5.2	ECO 750D/IP44/MR/RX	750 x 500 x 44	750	450	1535	430.00	358.33	
5.3	ECO 1000D/IP44/MR/RX	1000 x 500 x 44	1000	600	2047	525.00	437.50	
5.4	ECO 1500D/IP44/MR/RX	1500 x 500 x 44	1500	900	3070	605.00	504.16	
5.5	ECO 2000D/IP44/MR/RX	2000 x 500 x 44	2000	1300	4435	700.00	583.33	
5.6	ECO 500D/SB/IP44/MR/RX	1000 x 250 x 44	500	300	1023	400.00	333.33	
5.7	ECO 750D/SB/IP44/MR/RX	1500 x 250 x 44	750	450	1535	475.00	395.83	
5.8	ECO 1000D/SB/IP44/MR/RX	2000 x 250 x 44	1000	600	2047	600.00	500.00	
5.9	ECO 500D/CIR/IP44/PC/RX	614 Diameter x 44	500	300	1023	450.00	375.00	

SPACE SAVING VERTICAL IP44 BATHROOM PANEL (DEPTH 40mm)							EFS 1008	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Powder Coated White RAL 9016</b>								
7.1	ECO 2000D/IP44/PC/RX	2000 x 500 x 40	2000	1600	5459	425.00	354.17	
7.2	ECO 1500D/IP44/PC/RX	1500 x 500 x 40	1500	1200	4094	364.00	303.33	
7.3	ECO 1000D/IP44/PC/RX	1000 x 500 x 40	1000	800	2729	315.00	262.50	
7.4	ECO 500D/IP44/PC/RX	500 x 500 x 40	500	400	1365	210.00	175.00	
7.5	ECO 2546/IP44/PC/RX	600 x 400 x 40	250	200	682	192.00	160.00	
7.6	ECO 546/IP44/PC/RX	600 x 400 x 40	500	400	1365	210.00	175.00	
7.7	ECO 500D/SB/IP44/PC/RX	1000 x 250 x 40	500	400	1365	252.00	210.00	
7.8	ECO 750D/SB/IP44/PC/RX	1500 x 250 x 40	750	600	2047	295.00	245.83	
7.9	ECO 1000D/SB/IP44/PC/RX	2000 x 250 x 40	1000	800	2729	336.00	280.00	
7.10	ECO 750D/IP44/PC/RX	750 x 500 x 40	750	600	2047	247.00	205.83	
7.11	<b>Selected Powder Coated RAL COLOURS available for additional charge to Line Ref. 7.1 to 7.10</b>					132.00	110.00	
<b>Accessories</b>								
8.1	2 Polished Stainless Steel Towel Rails	500 x2				80.00	66.67	
8.2	1 Polished Stainless Steel Towel Rail	500				40.00	33.33	
8.3	1 Polished Stainless Steel Towel Rail	400				35.00	29.17	
8.4	1 Polished Stainless Steel Towel Rail	250				30.00	25.00	
8.9	Adjustable Wall Mounted Brackets (Pair)					48.00	40.00	

SPACE SAVING RADIANT PANEL FOR USE IN HOMES, FARMS, CARAVAN PARKS and OFF-GRID SITUATIONS USING PV SOLAR CELLS and HOME ENERGY BATTERY STORAGE PACK (DEPTH 40mm)							EFS 1046	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)			
<b>Powder Coated White RAL 9016</b>								
9.1	ECO 250D/RP/PC/RX	500 x 500 x 40	250	200	682			
9.2	ECO 500D/RP/PC/RX	500 x 500 x 40	500	400	1365			
9.3	ECO 750D/RP/PC/RX	750 x 500 x 40	750	600	2047			

ASK FOR A QUOTE [SALES@ECOLEC.CO.UK](mailto:SALES@ECOLEC.CO.UK) OR PHONE 01902 457575



WCT 100TX/500TX/600TX

Room temperature sensor fitted inside



**HEALTHCARE 43°C PANEL RADIATORS (DEPTH 40mm) EFS 1054**

LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
<b>Powder Coated White RAL 9016</b>							
10.1	ECO 1000DLL/IP44/PC/RX/43	2000 x 500 x 40	1000	590	2013	425.00	354.17
10.2	ECO 1000DL/IP44/PC/RX/43	1500 x 500 x 40	1000	443	1511	364.00	303.33
10.3	ECO 500DLL/IP44/PC/RX/43	1000 x 500 x 40	500	295	1006	315.00	262.50
10.4	ECO 500DL/IP44/PC/RX/43	750 x 500 x 40	500	222	757	247.00	205.83
10.5	ECO 250DLL/IP44/PC/RX/43	500 x 500 x 40	250	148	505	210.00	175.00
10.6	ECO 250DLL/SB/IP44/PC/RX/43	1000 x 250 x 40	250	148	505	252.00	210.00
10.7	ECO 500DL/SB/IP44/PC/RX/43	1500 x 250 x 40	500	222	757	295.00	245.83
10.8	ECO 500DLL/SB/IP44/PC/RX/43	2000 x 250 x 40	500	295	1006	336.00	280.00
10.9	ECO 2000DLL/IP44/PC/RX/43	2000 x 1000 x 40	2000	1180	4026	720.00	600.00
10.10	ECO 2000DL/IP44/PC/RX/43	1500 x 1000 x 40	2000	886	3012	630.00	525.00

**SELECTED RAL COLOURS AVAILABLE - SEE CHART**

**OTHER RAL COLOURS AVAILABLE, ASK FOR A QUOTE [SALES@ECOLEC.CO.UK](mailto:SALES@ECOLEC.CO.UK) OR PHONE 01902 457575**

**OTHER RAL COLOURS AVAILABLE, ASK FOR A QUOTE [SALES@ECOLEC.CO.UK](mailto:SALES@ECOLEC.CO.UK) OR PHONE 01902 457575**

**SPACE SAVING VERTICAL IP44 SAFE TO TOUCH 55°C RADIANT SCHOOL PANEL (DEPTH 40mm) EFS 1013**

LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
<b>Powder Coated White RAL 9016</b>							
12.1	ECO 1000DLL/IP44/PC/RX/55	2000 x 500 x 40	1000	860	2934	425.00	354.17
12.2	ECO 1000DL/IP44/PC/RX/55	1500 x 500 x 40	1000	642	2190	364.00	303.33
12.3	ECO 500DLL/IP44/PC/RX/55	1000 x 500 x 40	500	425	1450	315.00	262.50
12.4	ECO 500DL/IP44/PC/RX/55	750 x 500 x 40	500	321	1095	247.00	205.83
12.5	ECO 250DLL/IP44/PC/RX/55	500 x 500 x 40	250	214	730	210.00	175.00
12.6	ECO 250DLL/SB/IP44/PC/RX/55	1000 x 250 x 40	250	214	730	252.00	210.00
12.7	ECO 500DL/SB/IP44/PC/RX/55	1500 x 250 x 40	500	321	1095	295.00	245.83
12.8	ECO 500DLL/SB/IP44/PC/RX/55	2000 x 250 x 40	500	425	1450	336.00	280.00
12.9	ECO 2000DLL/IP44/PC/RX/55	2000 x 1000 x 40	2000	1560	5322	720.00	600.00

**SELECTED RAL COLOURS AVAILABLE - SEE CHART**

**OTHER RAL COLOURS AVAILABLE, ASK FOR A QUOTE [SALES@ECOLEC.CO.UK](mailto:SALES@ECOLEC.CO.UK) OR PHONE 01902 457575**

**HEALTHCARE LST 43°C FAN HEATER (DEPTH 100mm) WORKS WITH WCT 100/TX CONTROLLER EFS 1016**

LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
<b>Powder Coated White RAL 9016</b>							
13.1	LSTH 2000/43/PC/RX	1000 x 500 x 100	1900	1900	6482	256.00	213.33
13.2	LSTH 1000/43/PC/RX	600 x 300 x 100	950	950	3241	219.00	182.50
<b>Powder Coated Silver RAL 9006</b>							
13.3	LSTH 2000/43/PCS/RX	1000 x 500 x 100	1900	1900	6482	306.00	263.33
13.4	LSTH 1000/43/PCS/RX	600 x 300 x 100	950	950	3241	259.00	215.83
<b>Powder Coated Black RAL 9005</b>							
13.5	LSTH 2000/43/PCB/RX	1000 x 500 x 100	1900	1900	6482	306.00	263.33
13.6	LSTH 1000/43/PCB/RX	600 x 300 x 100	950	950	3241	259.00	215.83




Room temperature sensor fitted inside

**WCT 100TX/500TX/600TX**



RADIANT CEILING HEATER SYSTEMS (DEPTH 35mm)							EFS 1018	
LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT	
<b>Powder Coated White RAL 9016</b>								
14.1	ECO 300/80/FF/PP/PC/RX	595 x 595 x 40	300	200	682	220.00	183.33	
14.3	ECO 750/80/FF/PP/PC/RX	1195 x 595 x 40	750	600	2047	306.00	255.00	
14.4	ECO 1000/80/FF/PP/PC/RX	1785 x 595 x 40	1000	800	3412	330.00	275.00	
14.5	ECO 1000/CE/PP/PC/RX	2000 x 500 x 40	1000	800	2729	425.00	354.17	
14.6	ECO 750/CE/PP/PC/RX	1500 x 500 x 40	750	600	2047	364.00	303.33	
14.7	ECO 500/CE/PP/PC/RX	1000 x 500 x 40	500	400	1365	315.00	262.50	
14.8	ECO 750X/CE/PP/PC/RX	1000 x 750 x 40	750	600	2047	360.00	300.00	
<b>Powder Coated Black RAL 9005</b>								
14.10	ECO 1000/CE/PP/PCB/RX	2000 x 500 x 40	1000	800	2729	502.00	418.33	
14.11	ECO 750/CE/PP/PCB/RX	1500 x 500 x 40	750	600	2047	441.00	367.50	
14.12	ECO 500/CE/PP/PCB/RX	1000 x 500 x 40	500	400	1365	386.00	321.67	
<b>Powder Coated Silver RAL 9006</b>								
14.13	ECO 1000/CE/PP/PCS/RX	2000 x 500 x 40	1000	800	2729	502.00	418.33	
14.14	ECO 750/CE/PP/PCS/RX	1500 x 500 x 40	750	600	2047	441.00	367.50	
14.15	ECO 500/CE/PP/PCS/RX	1000 x 500 x 40	500	400	1365	386.00	321.67	
<b>DISC HEAT CIRCLE</b>								
<b>Powder Coated White RAL 9016</b>								
14.16	ECO 250/CIR/PP/PC/RX	614mm Diameter	500	400	1365	300.00	250.00	
<b>Powder Coated Black RAL 9005</b>								
14.17	ECO 250/CIR/PP/PCB/RX	614mm Diameter	500	400	1365	360.00	300.00	
<b>Powder Coated Silver RAL 9006</b>								
14.18	ECO 250/CIR/PP/PCS/RX	614mm Diameter	500	400	1365	360.00	300.00	
<b>Accessories</b>								
<b>Powder Coated White</b>								
14.20	Anti-Ligature Plate (x2 units)	950 x 100				36.00	30.00	
14.20	Rear Fixing Plate for Ceiling Joists CEP-01 (x2 Units)					36.00	30.00	
14.21	Ceiling Fixing Kit CE-01	4 x 0.6m each				12.00	10.00	
14.22	Adjustable Wall Brackets (Pair)					48.00	40.00	



CONTROLLERS							EFS 1037	
LINE REF	MODEL	SENSOR	POWER	PRICE INC. VAT	PRICE EXC. VAT			
15.1	REMOTE THERMOSTAT/TIMER	WCT 100/TX	AIR	BATTERY	105.00	87.50		
15.2	REMOTE THERMOSTAT/TIMER/ SURF TEMP ADJ 70 °C	WCT 500/TX/70	AIR	BATTERY	140.00	116.67		
15.3	REMOTE THERMOSTAT/TIMER/ SURF TEMP ADJ 55 °C	WCT 500/TX/STT	AIR	BATTERY	140.00	116.67		
15.4	230V MAINS KIT FOR WCT 100TX/500TX	MK1	AIR	MAINS	72.00	60.00		
15.6	4 HOUR HEATER TIMER WITH LED DIMMER	WCT 600/TX	DIMMER	BATTERY	130.00	108.33		



WCT 100TX/500TX/600TX

Room temperature sensor fitted inside



**TRAPEZIUM ANTI-GLARE LED MIRROR RADIATOR (DEPTH 44mm)****AFS 1003**

LINE REF	CODE	DIMENSIONS (H X W X D) MM	LED (WATTS)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
<b>Powder Coated White RAL 9016</b>								
17.1	AUR 500D/PC/IP44/MR/LED	500 x 500 x 44	10	500	300	1023	530.00	441.67
17.2	AUR 1000D/PC/IP44/MR/LED	1000 x 500 x 44	20	1000	600	2046	670.00	558.33
17.3	AUR 1500D/PC/IP44/MR/LED	1500 x 500 x 44	30	1500	900	3070	750.00	625.00
17.4	AUR 750D/SB/PC/IP44/MR/LED	1500 x 250 x 44	30	750	450	2046	700.00	583.33

**SPACE SAVING RADIANT PANEL BRUSHED STAINLESS STEEL (DEPTH 40mm)****EFS 1002**

LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
<b>Brushed Stainless Steel</b>							
19.1	ECO 1000DL/RP/SS/RX	2000 x 500 x 40	1000	980	3343	625.00	520.83
19.2	ECO 1000DL/RP/SS/RX	1500 x 500 x 40	1000	735	2507	536.00	446.66
19.3	ECO 500DLL/RP/SS/RX	1000 x 500 x 40	500	490	1671	470.00	391.66



RAL 1014 IVORY



RAL 6019 PASTEL GREEN



RAL 1015 LIGHT IVORY



RAL 6034 PASTEL TURQUOISE



RAL 5008 GREY BLUE



RAL 7016 ANTHRACITE GREY



RAL 3003 RUBY RED



RAL 7024 GRAPHITE GREY



RAL 3022 SALMON PINK



RAL 7032 PEBBLE GREY



RAL 4009 PASTEL VIOLET



RAL 7047 TELE GREY 4



RAL 5002 ULTRAMARINE BLUE



RAL 8004 COPPER BROWN



RAL 5015 SKY BLUE



RAL 8017 CHOCOLATE BROWN



RAL 5024 PASTEL BLUE



RAL 9001 CREAM



Room temperature  
sensor fitted inside

**WCT 100TX/500TX/600TX**

Sharrocks Street, Wolverhampton WV1 3RP

Tel: **01902 457575** Fax: **01902 457797** Email: **sales@ecolec.co.uk** Website: **www.ecolec.co.uk**

**SPACE SAVING VERTICAL & HORIZONTAL POWDER COATED RADIANT PANEL (DEPTH 40mm)**

EFS 1055

**Compatible with Nest, Honeywell, KNX, Raspberry Pi Delta Dore and Prefect Controls**

LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)	PRICE INC. VAT	PRICE EXC. VAT
<b>Powder Coated White RAL 9016</b>							
20.1	ECO 2000D/RP/PC/RZ	2000 x 500 x 40	2000	1600	5459		
20.2	ECO 1500D/RP/PC/RZ	1500 x 500 x 40	1500	1200	4094		
20.3	ECO 1000D/RP/PC/RZ	1000 x 500 x 40	1000	800	2729		
20.4	ECO 750D/RP/PC/RZ	750 x 500 x 40	750	600	2047		
20.5	ECO 500D/RP/PC/RZ	500 x 500 x 40	500	400	1365		
20.6	ECO 1000D/SB/RP/PC/RZ	2000 x 250 x 40	1000	800	2729		
20.7	ECO 750D/SB/RP/PC/RZ	1500 x 250 x 40	750	600	2047		
20.8	ECO 500D/SB/RP/PC/RZ	1000 x 250 x 40	500	400	1365		

**3.9 Selected Powder Coated RAL COLOURS available for additional charge to Line Ref. 20.1 to 20.8**

<b>Powder Coated Silver RAL 9006</b>							
21.1	ECO 2000D/IP44/PCS/RZ/43	2000 x 500 x 40	1000	590	2013		
21.2	ECO 1500D/IP44/PCS/RZ/43	1500 x 500 x 40	1000	443	1511		
21.3	ECO 1000D/IP44/PCS/RZ/43	1000 x 500 x 40	500	295	1006		
21.4	ECO 750D/IP44/PCS/RZ/43	750 x 500 x 40	500	222	757		
21.5	ECO 500D/IP44/PCS/RZ/43	500 x 500 x 40	250	148	505		
21.6	ECO 1000D/SB/IP44/PCS/RZ/43	2000 x 250 x 40	250	148	505		
21.7	ECO 750D/SB/IP44/PCS/RZ/43	1500 x 250 x 40	500	222	757		
21.8	ECO 500D/SB/IP44/PCS/RZ/43	1000 x 250 x 40	500	295	1006		
21.9	ECO 2000DLL/IP44/PCS/RX/43	2000 x 1000 x 40	2000	1180	4026		
21.10	ECO 2000DL/IP44/PCS/RX/43	1500 x 1000 x 40	2000	886	3012		

<b>Powder Coated Black RAL 9005</b>							
22.1	ECO 2000D/RP/PCB/RZ	2000 x 500 x 40	2000	1600	5459		
22.2	ECO 1500D/RP/PCB/RZ	1500 x 500 x 40	1500	1200	4094		
22.3	ECO 1000D/RP/PCB/RZ	1000 x 500 x 40	1000	800	2729		
22.4	ECO 750D/RP/PCB/RZ	750 x 500 x 40	750	600	2047		
22.5	ECO 500D/RP/PCB/RZ	500 x 500 x 40	500	400	1365		
22.6	ECO 1000D/SB/RP/PCB/RZ	2000 x 250 x 40	1000	800	2729		
22.7	ECO 750D/SB/RP/PCB/RZ	1500 x 250 x 40	750	600	2047		
22.8	ECO 500D/SB/RP/PCB/RZ	1000 x 250 x 40	500	400	1365		

**22.9 Selected Powder Coated RAL COLOURS available for additional charge to Line Ref. 20.1 to 20.8****ELECTRIC CEILING FAN HEATER FOR T5 GRID SYSTEM and PLASTERBOARD MOUNTING (works with WCT100/TX Controller)**

EFS 1063

<b>Powder Coated White RAL 9016</b>							
23.1	ECO 1900/CE/PC/T5/RX	595 x 595 x 100	1900	1900	6482	350.00	291.66
24.1	ECO 1900/CE/PC/PB/RX	550 x 550 x 100	1900	1900	6482	350.00	291.66
<b>Powder Coated Silver RAL 9006</b>							
23.2	ECO 1900/CE/PCS/T5/RX	595 x 595 x 100	1900	1900	6482	410.00	341.66
24.2	ECO 1900/CE/PCS/PB/RX	550 x 550 x 100	1900	1900	6482	410.00	341.66
<b>Powder Coated Black RAL 9005</b>							
23.3	ECO 1900/CE/PCB/T5/RX	595 x 595 x 100	1900	1900	6482	410.00	341.66
24.3	ECO 1900/CE/PCB/PB/RX	550 x 550 x 100	1900	1900	6482	410.00	341.66

**TRAPEZIUM ANTI-GLARE LED MIRROR RADIATOR & CURVE ANTI-GLARE LED RADIATOR**

AFS 1003/1004

LINE REF	CODE	DIMENSIONS (H X W X D) MM	LED (WATTS)	ELEMENT (WATTS)	OUTPUT (WATTS)	OUTPUT (BTU'S)
<b>Powder Coated White RAL 9016</b>						
40.1	AUR 750D/PC/IP44/CUR/LED	750 x 500 x 62		30	750	600
40.2	AUR 500D/PC/IP44/CUR/LED	1500 x 500 x 62		30	1500	1200

**ASK FOR A QUOTE [SALES@ECOLEC.CO.UK](mailto:SALES@ECOLEC.CO.UK) OR PHONE 01902 457575**

- CARRIAGE CHARGES NOT INCLUDED - ALL PRICES INCLUDE 20% VAT
- BESPOKE & SPECIAL NEEDS HEATERS AVAILABLE. PLEASE PHONE FOR A QUOTE
- WHEN DELIVERY IS MADE ON PALLETS, IT IS UPTO THE CUSTOMER TO UNLOAD AS THE DRIVER IS NOT CONTRACTED FOR THIS PURPOSE. ALL DELIVERIES ARE MADE TO THE GROUND FLOOR.
- ALL SPECIFICATIONS CAN CHANGE WITHOUT NOTICE.

- PLEASE CONSULT YOUR LOCAL NICEIC ELECTRICIAN
- CONNECT HEATERS TO A FUSED SPUR - BEST PRACTICE
- NON IP44 HEATERS CAN BE FITTED WITH A 13AMP PLUG

Sharrocks Street, Wolverhampton WV1 3RP